





# G200 Asset GPS Tracker

(V. 2.0)



## DESCRIPTION

G200 is a rechargeable GPS tracker with strong magnets and 6000mAh battery. Only need insert Nano-sized simcard in, it will upload GPS location based on movement or preset frequency automatically. With a mini microphone built-in, device also support one way calling remotely.



## MAIN FEATURES

- 6000mAh rechargeable battery
- Strong Magnet
- Accurate GPS+LBS positioning
- One way listening
- Fall-off alarm
- Low battery alarm/ Movement alarm
- 4 Different intelligent working modes

## SPECIFICATION

Specification	Parameters
GSM band	850/900/1800/1900Mhz
Dimension	76.1*50*30.2mm
GPS	GPS(outdoor)+LBS(indoor)
Battery	Rechargeable 3.6V/6000mAh
Working Temp.	-20 ℃ to +55 ℃

Button&Indicator	Light Status
Power ON/OFF	Long press button 3s
Red light-Power	Flashing when charging; Constant on after charge full
Green light-GSM	Light flashing represent no GSM/GPS signal;
Blue light-GPS	Light constant on after receive GSM/GPS signal

# COMMAND LIST

SMS Function	SMS Command format	SMS example
★ Please don't type "+" "space", password 123456 ★ Preset Center Number first before testing SMS or Phone Call alarm mode. ★ Each SMS must reply "OK" represent command successfully.		
<b>Step 1 Set IP Port</b>	<b>adminip+password+space+IP Address+space+port number</b>	adminip123456 www.gps2828.com 7018
<b>Step 2 Set APN</b>	<b>apn123456+space+LocalApn+space+ApnName+space+ApnPassword</b>	apn123456 tim.br tim tim
Set fall-off alarm	<b>remove123456+space+1</b>	remove123456 1
Cancel fall-off alarm	<b>remove123456+space+0</b>	remove123456 0
Set Time Interval	<b>ITV123456+space+time interval(s)</b>	If 60s , send SMS: ITV123456 60
Set center number	<b>centernum123456+space+phone number</b>	centernum123456 13712345678 no need put country code
Cancel center number	<b>centernum123456</b>	
Set low battery alarm	<b>lowbat123456+space+1</b>	lowbat123456 1
Cancel low battery	<b>lowbat123456+space+0</b>	lowbat123456 0
Set SMS time zone	<b>timezone123456+space+(timezone*60)</b>	If +5.5:timezone123456 330
Check device status	<b>check123456</b>	check GPS GSM status
Set alarm mode	<b>KC123456+space+1</b>	APP alarm (default)
	<b>KC123456+space+2</b>	APP+SMS alarm
	<b>KC123456+space+3</b>	APP+SMS+PhoneCall alarm
Set vibrate alarm	<b>vibrate123456+space+1</b>	Must keep continuously static 3 minutes before vibration
Cancel vibrate alarm	<b>vibrate123456+space+0</b>	
Set factory mode	<b>begin123456</b>	It will erase all setting

**\* Note:** Fall-off alarm: device sticking to the metal cover with magnet, fall-off alarm will be triggered once device was removed off.

# INTELLIGENT WORKING MODES

## ❖ Mode 0: (Real-time mode)

Send SMS: "**MD123456+space+0**", it will reply "MD, set successfully", and the device will switch to real-time tracking mode

**\* Note:** GPS always ON and connected with server, consume battery very fast!

## ❖ Mode 1: (Power saving mode)

Send SMS:

"**MD123456+space+1+space+work time+space+1+space+sleep time+space+60+ space+3+ space+30**",

it will reply "MD, set successfully"

**For example:** "MD123456 1 3 1 120 60 3 30"

2<sup>nd</sup> "3" means: work time, unit: minute

4<sup>th</sup> "120" means power off sleep time, unit: minute;

Only yellow part value could be set, other value keep same as command example.

## ❖ Mode 2: (Clock mode)

Send SMS: "**MD123456+space+2+space+work time+space+work time**", it will reply "MD, set successfully"

**For example, send SMS command** "MD123456 3 3:00 14:00"

Device will keep always power off sleep mode, only when 3:00 and 14:00 every day, device will wake up and work 3 minutes, and power off again enter sleep.

## ❖ Mode 3: (Interval mode)

Send SMS: "**MD123456+space+3+space+work time+space+ sleep time**", it will reply "MD, set successfully"

**For example, send SMS command** "MD123456 3 3 120"

It will power off 120 minutes when it is static status, after 120 minutes, device will wake up and work 3 minutes.

**\* Note:** during power off sleep time, device will disconnect from server and won't reply any message if sending command.

## TRACKING SOFTWARE

Web: [www.cantrackportal.com](http://www.cantrackportal.com)

Android & IOS APP : [secumore](#)

Default to use IMEI number login, password as 123456.



## ATTENTION

- Device support Nano-sized 2G GSM Simcard, make sure simcard GPRS data activated and the PIN code removed.
- For first time using, plz charge the device full and put device outdoor in open area to get GPS signal. Device may use LBS if put indoor.
- Battery life is directly related with working mode and movement period. Longer period movement or quick uploading frequency will draw battery fast.
- GPS defaults update location at every 1 hour (not real time). please set up the working mode as per actual needs.